

Revision: 09/01/2017 Supersedes Revision: 01/16/2015

Page: 1

1. Product and Company Identification

Product Code: C0801

Product Name: Cyclo Headlight Restore

**Manufacturer information** 

 Company Name:
 CYCLO INDUSTRIES, INC.

 Phone Number:
 From AUS 0011 1 (800) 843-713

 Fax Number:
 From AUS 0011 1 (561) 745-3867

**Emergency Contact:** First Aid Emergency 0011 1 (321) 906-6194

Distributor Info: CYCLO Ausrtalia Unit 2 19 Techonology Ct Hallam Victoria 03 9702 4314

**The Poison Information Center** Ph: 13 11 26

Australia:

Intended Use: Headlight Restoration

#### 2. Hazards Identification

Germ Cell Mutagenicity, Category 1B

Carcinogenicity, Category 1B

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 1

Aspiration Toxicity, Category 1
Acute Toxicity: Inhalation, Category 4





GHS Signal Word: Danger

GHS Hazard Phrases: H304: May be fatal if swallowed and enters airways.

H332: Harmful if inhaled.

H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness. H340: May cause genetic defects.

H350: May cause cancer.

H372: Causes damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

**GHS Storage and Disposal** 

P403+233: Store container tightly closed in well-ventilated place.

Phrases:

P405: Store locked up.
P501: Dispose of contents/container in accordance with

local/regional/national/international regulation.

MIRS MSDS, (c) A V Systems, Inc.

GHS format



Revision: 09/01/2017

Page: 2

Supersedes Revision: 01/16/2015

### 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
7732-18-5	Water	67.0 -87.0 %	
8052-41-3	Stoddard solvent	4.0 -8.0 %	
1344-28-1	Aluminum oxide	5.0 -10.0 %	
8042-47-5	Technical white oil* (regulated as mist only)	4.0 -9.0 %	

#### 4. First Aid Measures

Emergency and First Aid Procedures:

If swallowed, do not induce vomiting If inhaled, remove affected individual to fresh air. If breathing is difficult, administer oxygen. If in eyes, rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, flush exposed skin with water. Remove contaminated clothing. Call physician immediately if adverse reaction occurs.

Signs and Symptoms Of Exposure:

Ingestion: Can cause nausea, vomiting and diarrhea.

Inhalation: Excessive inhalation can cause nasal and respiratory irritation and/or

damage, dizziness, nausea, headache and possible unconsciousness.

Eyes: Can cause irritation, redness, tearing and blurred vision.

Skin: Prolonged or repeated exposure can cause moderate irritation.

### 5. Fire Fighting Measures

**Flash Pt:** 250.00 F (121.1 C)

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: No data available.

Fire Fighting Instructions: Self-contained breathing apparatus and protective clothing should be worn in fighting

large fires involving chemicals. Evacuate area in case of overheating or fire. Vapors are heavier than air and may travel to a source of ignition and flash back. Static electricity

will accumulate and may ignite vapors.

Flammable Properties and

Hazards:

No data available.

**Hazardous Combustion** 

**Products:** 

No data available.

#### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Shut off ignition sources. Stop spill at source, contain spill and keep from entering waterways or sewers. Small quantities may be soaked up on inert absorbents.

#### 7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the

environment. Use personal protective equipment as required. Keep out of the reach

of children.

Precautions To Be Taken in

Storing:

Store container tightly closed in well-ventilated place.

Store locked up.



Revision: 09/01/2017 Supersedes Revision: 01/16/2015

Page: 3

8. Exposure Controls/Personal Protection					
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
7732-18-5	Water	No data.	No data.	No data.	
8052-41-3	Stoddard solvent	PEL: 500 ppm	TLV: 100 ppm	No data.	
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.	
8042-47-5	Technical white oil* (regulated as mist	No data.	No data.	No data.	

only)

Respiratory Equipment

(Specify Type):

If workplace exposure limits of the product or any component are exceeded, a NIOSH/MSHA respirator is advised in the absence of proper environmental controls.

OSHA regulations also permit other NIOSH/MSHA respirator (negative pressure type) under specific conditions. Engineering of administrative controls should be implemented

to reduce exposure.

**Eye Protection:** Compliance with OSHA regulations is advised.

Protective Gloves: Wear chemical resistant gloves.

Other Protective Clothing: To prevent skin contact, wear impervious clothing.

Engineering Controls Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain

(Ventilation etc.): exposure below TLV(s).

#### 9. Physical and Chemical Properties

Physical States: [ ] Gas [ ] Liquid [ ] Solid

Appearance and Odor: No data available.

pH: 7 - 8.5

Melting Point: No data.

Boiling Point: No data.

**Flash Pt:** 250.00 F (121.1 C)

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): 1.007

Solubility in Water: No data.

Octanol/Water Partition No data.

Coefficient:

Percent Volatile: 7.0 %
Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: 12,500 cP



Revision: 09/01/2017 Supersedes Revision: 01/16/2015

Page: 4

10. Stability and Reactivity

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid -

No data available.

Instability:

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or No data available.

**Byproducts:** 

Possibility of Hazardous

Will occur [ ]

Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

**Hazardous Reactions:** 

# 11. Toxicological Information

**Toxicological Information:** CAS# 1344-28-1:

Tumorigenic Effects:, TDLo, Intrapleural, Rat, 90.00 MG/KG.

Results:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Lungs, Thorax, or Respiration: Tumors.

- British Journal of Cancer., Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire

RG21 2XS UK, Vol/p/yr: 28,173, 1973

Tumorigenic Effects:, TDLo, Implant, Rat, 200.0 MG/KG.

Results:

Tumorigenic: Neoplastic by RTECS criteria. Tumorigenic:Tumors at site of application.

- JNCI, Journal of the National Cancer Institute., For publisher information, see JNCIEQ.,

Washington, DC, Vol/p/yr: 67,965, 1981

Tumorigenic Effects:, TDLo, Implant, Rat, 200.0 MG/KG.

Results:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Tumorigenic:Tumors at site of application.

- IARC Scientific Publications., For publisher information, see IAPUDO, Geneva

Switzerland, Vol/p/yr: 8,289, 1973

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
8052-41-3	Stoddard solvent	n.a.	n.a.	n.a.	n.a.
1344-28-1	Aluminum oxide	n.a.	n.a.	A4	n.a.
8042-47-5	Technical white oil* (regulated as mist only)	n.a.	n.a.	n.a.	n.a.

# 12. Ecological Information

No data available.



Revision: 09/01/2017 Supersedes Revision: 01/16/2015

Page: 5

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with local/regional/national/international

regulation.

# 14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not-Regulated

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not-Regulated

UN Number: Hazard Class:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not-Regulated

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not-Regulated

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists					
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
7732-18-5	Water	No	No	No	
8052-41-3	Stoddard solvent	No	No	No	
1344-28-1	Aluminum oxide	No	No	Yes	
8042-47-5	Technical white oil* (regulated as mist only)	No	No	No	
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No			
8052-41-3	Stoddard solvent	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: Yes			
1344-28-1	Aluminum oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 2891; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: No			
8042-47-5	Technical white oil* (regulated as mist only)	Inventory; CA PROOII/HazMat: No; M		•	
CAS#	Hazardous Components (Chemical Name)	International Regu	ulatory Lists		
7732-18-5	Water	Canadian DSL: Ye Yes	s; Canadian NDSL: I	No; Taiwan TCSCA:	
8052-41-3	Stoddard solvent	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes			
1344-28-1	Aluminum oxide	Canadian DSL: Ye	s; Canadian NDSL: I	No; Taiwan TCSCA:	



Revision: 09/01/2017 Supersedes Revision: 01/16/2015

Page: 6

Yes

8042-47-5 Technical white oil\* (regulated as mist only) Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes

### 16. Other Information

**Revision Date:** 09/01/2017

**Hazard Rating System:** 

Flammability Instability
Health 0
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.