

# SAFETY DATASHEET



## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4 Revision Date: 04/10/2024 SDS Number: 600000001215 Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017

---

### SECTION 1. IDENTIFICATION

Product name : CYCLO BATTERY CLNR AERO 12/15 OZ

Product code : C120

#### Manufacture or supplier's details

Company Name of Supplier : Niteo Products, LLC  
Address : 720 Vaiden Dr, Hernando, MS 38632  
Email : EHS@niteoproducts.com  
Phone Number : +1 (844) 696-4836  
Australian Importer : Cyclo Chemicals Australia  
Address : 2/19 Technology Circuit Hallam 3803  
Email : sales@cycloaustralia.com  
Phone Number : +61 3 9702 4314  
Website : www.cycloaustralia.com.au  
Poison Information : Ph 13 11 26

#### Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATIONON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Butane	106-97-8	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

---

### SECTION 4. FIRST AID MEASURES

# SAFETY DATASHEET



## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4	Revision Date: 04/10/2024	SDS Number: 600000001215	Date of last issue: 04/09/2024 Date of first issue: 09/05/2017
----------------	------------------------------	-----------------------------	---

General advice	: No hazards which require special first aid measures.
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	: Prevent further leakage or spillage if safe to do so.

## SECTION 7. HANDLING AND STORAGE

## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4 Revision Date: 04/10/2024 SDS Number: 600000001215 Date of last issue: 04/09/2024 Date of first issue: 09/05/2017

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Butane	106-97-8	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	800 ppm 1,900 mg/m <sup>3</sup>	OSHA P0
		STEL	1,000 ppm	ACGIH

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

#### Personal protective equipment

##### Hand protection



Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.



**Eye protection** : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.



**Skin and body protection** : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes

# SAFETY DATASHEET

## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR



Version 2.4 Revision Date: 04/10/2024

SDS Number: 600000001215

Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017



Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Colour	:	No data available
Odour Threshold	:	not determined
pH	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not classified as a flammability hazard
Evaporation rate	:	not determined
Flammability (solid, gas)	:	No data available
Self-ignition	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Density	:	not determined
Solubility(ies)		
Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	not determined
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Molecular weight	:	Not applicable
VOC % By Weight	:	6 %

**CYCLO® BATTERY CLEANER & ACID LEAK  
DETECTOR**

Version 2.4 Revision Date: 04/10/2024 SDS Number: 600000001215 Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	: No data available
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

**Components:****Butane:**

Acute oral toxicity	: LD50 (Rat): > 5 g/kg
Acute dermal toxicity	: LD50 (Rabbit): > 3.16 g/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Butane:**

**CYCLO® BATTERY CLEANER & ACID LEAK  
DETECTOR**

Version 2.4      Revision Date: 04/10/2024      SDS Number: 600000001215      Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017

---

Result: Possibly irritating to skin

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Components:****Butane:**

Result: Possibly irritating to eyes

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**      No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT -single exposure**

Not classified based on available information.

**STOT -repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks: No data available

# SAFETY DATASHEET



## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4 Revision Date: 04/10/2024 SDS Number: 600000001215 Date of last issue: 04/09/2024 Date of first issue: 09/05/2017

### SECTION 12. ECOLOGICAL INFORMATION

#### Toxicity

Additional ecological information : No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, non-flammable  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203



##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
EmS Code : F-D, S-U  
Marine pollutant : no



#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

UN/ID/NA number : UN 1950

# SAFETY DATASHEET



## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4      Revision Date: 04/10/2024      SDS Number: 600000001215      Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017

---

Proper shipping name : Aerosols  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
ERG Code : 126  
Marine pollutant : no



### SECTION 15. REGULATORY INFORMATION

#### EPCRA –Emergency Planning and Community Right-to-KnowAct

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATASHEET




## CYCLO® BATTERY CLEANER & ACID LEAK DETECTOR

Version 2.4 Revision Date: 04/10/2024 SDS Number: 600000001215 Date of last issue: 04/09/2024  
Date of first issue: 09/05/2017

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Special hazard

Revision Date : 04/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN